ELSEVIER

Journal of Materials Processing Technology 84 (1998) 276

Journal of Materials Processing Technology

# Author Index of Volume 84

Ai, X., 20
Alitavoli, M., 130

Balendra, R., 247
Bhargava, S., 56
Black, I., 47

Cetlin, P.R., 261
Chiang, D., 229
Chua, K.L., 47
Chung, Y.W., 236

Deshmukh, A.R., 56
Ding, H., 159
Dube, R.K., 56

El-Baradie, Z.M., 73

Fang, W., 268

Grandhi, R.V., 193
Greene, P.G., 202
Guo, Y.-M., 13

Hamzah, S., 25
Hai, J., 271
Hao, H., 159
Hatta, N., 117
Hindman, C., 107

Inigoraj, A.J.R., 143

Jeswiet, J., 202
Jia, Z.X., 20
Jin, Z., 159

Kang, C.G., 210
Kikuchi, S., 117
Kim, Y.D., 210
Kremer, D., 90
Kritikou, M.I., 225

Lebrun, J.L., 90
Leung, T.P., 189
Lin, C.B., 236
Lin, J.C., 1
Li, Q., 268
Li, Y., 159
Livingstone, S.A.J., 47
Li, Y., 159
Long, H., 247
Luk, S.F., 189

Ma, C.L., 236
Mahdavian, S.M., 38
Matsuoka, S.-i., 175
McGeough, J.A., 130
Michaelidis, A.M., 225
Miu, W.S., 189
Morao Dias, A., 90

Narayanasamy, R., 136, 143

Ousterhout, K.B., 107

Panagopoulos, C.N., 225
Pandey, K.S., 136, 143
Pashby, I., 189
Pertence, A.E.M., 261

Rebelo, J.C., 90

Samuel, M., 97
Sekhon, G.S., 79
Singh, R., 79
Soon, R.C.T., 162
Ståhlberg, U., 25
Sundararajan, T., 56

Tai, C.C., 1
Takuda, H., 117
Tang, G., 268
Tarng, Y.S., 122
Tseng, W.J., 229

Vlachos, S., 225

Wang, J., 181
Wang, T., 193
Wang, Y., 271

Yang, W.H., 122
Yang, X., 159
Yarlagadda, P.K.D.V., 162

Zarudi, I., 149
Zeng, X.M., 38
Zhang, J., 268
Zhang, J.H., 20
Zhang, L.B., 271
Zhang, L.C., 149
Zhang, Q.H., 20
Zhao, G., 193
Zhao, Z., 193
Zheng, M., 268
Zhu, Y., 268

Elsevier Science S.A.
*PII* S0924-0136(98)00360-4

ELSEVIER

Journal of Materials Processing Technology 84 (1998) 277–280

Journal of
Materials
Processing
Technology

# Subject Index of Volume 84

Abductive network
a runner-optimization design study of a die-casting die, 1
Adhesion of zinc coating
mechanical behaviour of zinc-coated copper, 225
Advanced manufacturing processes
a laser beam machining (LBM) database for the cutting of ceramic tile, 47
Amorphous
effect of ultraprecision grinding on the microstructural change in silicon monocrystals, 149
Annealing
strain-hardening behaviour in sintered aluminium–3.5% alumina composite preforms during axial compression with and without annealing, 143
Aqueous solution
development of electrolytic heat-treatment in aqueous solution, 189
Axial compression
strain-hardening behaviour in sintered aluminium–3.5% alumina composite preforms during axial compression with and without annealing, 143

Backward simulation
preform design of a generic turbine disk forging process, 193
BEM
analyses of forging processes by a rigid–plastic finite-boundary element method, 13
Blanking process
FEM simulations and experimental analysis of parameters of influence in the blanking process, 97

Ceramic injection molding
influence of molding variables on defect formation and mechanical strength of injection-molded ceramics, 229
Ceramic material
characterisation of materials behaviour in microwave joining of ceramics, 162
Ceramic materials
a laser beam machining (LBM) database for the cutting of ceramic tile, 47
Clustering
a low-cost modeller for two-dimensional metal stamping layouts, 79
$CO_2$
a laser beam machining (LBM) database for the cutting of ceramic tile, 47
Cold densification rolling
analysis of cold densification rolling of a sintered porous metal strip, 56
Cold drawing
the application of the electro-plastic technique in the cold-drawing of steel wires, 268
Cold-forged products
effects of cold-rolling on the cold forging of solid polymer, 175
Cold forming
FE simulation of the influence of thermal and elastic effects on the accuracy of cold-extruded components, 247
Cold-rolling
effects of cold-rolling on the cold forging of solid polymer, 175
Cold upsetting
some aspects of work hardening in sintered aluminium–iron composite preforms during cold axial forming, 136
Contact thermal resistance
model experiments for the determination of the heat-transfer coefficient and transition thermal analysis in the direct rolling process, 210
Critical conditions
critical conditions of wrinkling in deep drawing at elevated temperature, 38
Curvature
experimental measurement of curl in rolling, 202
Cutting dies
a low-cost modeller for two-dimensional metal stamping layouts, 79

Deep drawing
critical conditions of wrinkling in deep drawing at elevated temperature, 38
Defect
influence of molding variables on defect formation and mechanical strength of injection-molded ceramics, 229
Diamond bit
design of a non-homogeneous diamond bit matrix, 159
Diamond drilling
design of a non-homogeneous diamond bit matrix, 159
Die-casting
a runner-optimization design study of a die-casting die, 1
Die casting
microstructure of A380–$SiC_{(p)}$ composites for die casting, 236
Direct current
development of electrolytic heat-treatment in aqueous solution, 189
Direct rolling
model experiments for the determination of the heat-transfer coefficient and transition thermal analysis in the direct rolling process, 210
Drilling
development of drilling optimization strategies for CAM applications, 181

Effective strain
a study of pore closure in the manufacturing of heavy rings, 25
Elasticity
FE simulation of the influence of thermal and elastic effects on the accuracy of cold-extruded components, 247

Elsevier Science S.A.
*PII* S0924-0136(98)00361-6

Electro-discharge machining
influence of EDM pulse energy on the surface integrity of martensitic steels, 90
Electrolytic heat-treatment
development of electrolytic heat-treatment in aqueous solution, 189
Electrolytic surface-hardening
development of electrolytic heat-treatment in aqueous solution, 189
Electroplastic effect
the application of the electro-plastic technique in the cold-drawing of steel wires, 268
Engineering ceramic
fracture at the exit of the hole during the ultrasonic drilling of engineering ceramics, 20
Expert systems
an expert process planning system for meat cutting by high pressure water-jet, 130
Exploration engineering
design of a non-homogeneous diamond bit matrix, 159
Extrusion
plastic working and superplasticity in aluminium–matrix composites reinforced with SiC particulates, 271

FBEM
analyses of forging processes by a rigid–plastic finite-boundary element method, 13
FEM
analyses of forging processes by a rigid–plastic finite-boundary element method, 13
FE simulation
FE simulation of the influence of thermal and elastic effects on the accuracy of cold-extruded components, 247
Finite-element method
preform design of a generic turbine disk forging process, 193
Forging
preform design of a generic turbine disk forging process, 193
Formability
formability of a commercially pure zirconium sheet, 117
Form errors
FE simulation of the influence of thermal and elastic effects on the accuracy of cold-extruded components, 247
Forming
analyses of forging processes by a rigid–plastic finite-boundary element method, 13
Fracture
fracture at the exit of the hole during the ultrasonic drilling of engineering ceramics, 20

Hydrostatic pressure
a study of pore closure in the manufacturing of heavy rings, 25

Internet manufacturing
a virtual design system for sheet metal forming, 107

Laser cutting
a laser beam machining (LBM) database for the cutting of ceramic tile, 47

Machining
development of drilling optimization strategies for CAM applications, 181
Manufacturing design
a virtual design system for sheet metal forming, 107
Manufacturing simulations
a virtual design system for sheet metal forming, 107
MARC-2D
FEM simulations and experimental analysis of parameters of influence in the blanking process, 97
Martensitic steels
influence of EDM pulse energy on the surface integrity of martensitic steels, 90
Material joining
characterisation of materials behaviour in microwave joining of ceramics, 162
Matrix
design of a non-homogeneous diamond bit matrix, 159
Meat products
an expert process planning system for meat cutting by high pressure water-jet, 130
Mechanical behaviour
mechanical behaviour of zinc-coated copper, 225
Medium-carbon steel
development of electrolytic heat-treatment in aqueous solution, 189
Metal forming
analysis of a new model material for the physical simulation of metal forming, 261
Metal–matrix composites
plastic working and superplasticity in aluminium–matrix composites reinforced with SiC particulates, 271
Microstructure
microstructure of A380–$SiC_{(p)}$ composites for die casting, 236
Microwaves
characterisation of materials behaviour in microwave joining of ceramics, 162
Modeller
a low-cost modeller for two-dimensional metal stamping layouts, 79
Multi-purpose FEM code
FEM simulations and experimental analysis of parameters of influence in the blanking process, 97

Optimization
design optimization of cutting parameters for turning operations based on the Taguchi method, 122
Optimization strategies
development of drilling optimization strategies for CAM applications, 181

Particulate metal matrix composite
microstructure of A380–$SiC_{(p)}$ composites for die casting, 236
Physical simulation
analysis of a new model material for the physical simulation of metal forming, 261
Piercing
a study of pore closure in the manufacturing of heavy rings, 25
Plastic working
plastic working and superplasticity in aluminium–matrix composites reinforced with SiC particulates, 271
Pore closure
a study of pore closure in the manufacturing of heavy rings, 25
Powder metallurgy
design of a non-homogeneous diamond bit matrix, 159
Preform design
preform design of a generic turbine disk forging process, 193
Process
influence of molding variables on defect formation and mechanical strength of injection-molded ceramics, 229
Process planning
an expert process planning system for meat cutting by high pressure water-jet, 130
development of drilling optimization strategies for CAM applications, 181

Production economy
analysis of a new model material for the physical simulation of metal forming, 261
Pulse current
development of electrolytic heat-treatment in aqueous solution, 189

Ridge waveguide
characterisation of materials behaviour in microwave joining of ceramics, 162
Rigid–plastic FBEM
analyses of forging processes by a rigid–plastic finite-boundary element method, 13
Ring manufacturing
a study of pore closure in the manufacturing of heavy rings, 25
Roll design
model experiments for the determination of the heat-transfer coefficient and transition thermal analysis in the direct rolling process, 210
Rolling
experimental measurement of curl in rolling, 202
Runner-optimization
a runner-optimization design study of a die-casting die, 1

Segregation
microstructure of A380–$SiC_{(p)}$ composites for die casting, 236
Sheet metal
a virtual design system for sheet metal forming, 107
Sheet metal forming
formability of a commercially pure zirconium sheet, 117
Silicon
effect of ultraprecision grinding on the microstructural change in silicon monocrystals, 149
Sintered aluminium–3.5% alumina composite preforms
strain-hardening behaviour in sintered aluminium–3.5% alumina composite preforms during axial compression with and without annealing, 143
Sintered aluminium–iron composite preforms
some aspects of work hardening in sintered aluminium–iron composite preforms during cold axial forming, 136
Software
development of drilling optimization strategies for CAM applications, 181
Solidification end point
model experiments for the determination of the heat-transfer coefficient and transition thermal analysis in the direct rolling process, 210
Solidification latent heat
model experiments for the determination of the heat-transfer coefficient and transition thermal analysis in the direct rolling process, 210
Solid polymer
effects of cold-rolling on the cold forging of solid polymer, 175
Special heat treatment process
grain refining of Zn–22 wt.% Al superplastic alloy, 73
Statistics
influence of molding variables on defect formation and mechanical strength of injection-molded ceramics, 229
Steel wire
the application of the electro-plastic technique in the cold-drawing of steel wires, 268
Strain-hardening
strain-hardening behaviour in sintered aluminium–3.5% alumina composite preforms during axial compression with and without annealing, 143
Strength
influence of molding variables on defect formation and mechanical strength of injection-molded ceramics, 229
Stress analysis
fracture at the exit of the hole during the ultrasonic drilling of engineering ceramics, 20
Strip
experimental measurement of curl in rolling, 202
Subsurface structure
effect of ultraprecision grinding on the microstructural change in silicon monocrystals, 149
Superplastic deformation
grain refining of Zn–22 wt.% Al superplastic alloy, 73
Superplasticity
plastic working and superplasticity in aluminium–matrix composites reinforced with SiC particulates, 271
Surface integrity
influence of EDM pulse energy on the surface integrity of martensitic steels, 90
Surface roughness
design optimization of cutting parameters for turning operations based on the Taguchi method, 122

Taguchi method
design optimization of cutting parameters for turning operations based on the Taguchi method, 122
Temperature
FE simulation of the influence of thermal and elastic effects on the accuracy of cold-extruded components, 247
Thermal runaway
characterisation of materials behaviour in microwave joining of ceramics, 162
Tool life
design optimization of cutting parameters for turning operations based on the Taguchi method, 122
Turning
design optimization of cutting parameters for turning operations based on the Taguchi method, 122

Ultraprecision grinding
effect of ultraprecision grinding on the microstructural change in silicon monocrystals, 149
Ultrasonic drilling
fracture at the exit of the hole during the ultrasonic drilling of engineering ceramics, 20
Upper-bound technique
analysis of cold densification rolling of a sintered porous metal strip, 56
Upsetting
a study of pore closure in the manufacturing of heavy rings, 25

Water-jet cutting
an expert process planning system for meat cutting by high pressure water-jet, 130
Work-hardening
analysis of cold densification rolling of a sintered porous metal strip, 56
Work-hardening characteristics
some aspects of work hardening in sintered aluminium–iron composite preforms during cold axial forming, 136
Wrinkling
critical conditions of wrinkling in deep drawing at elevated temperature, 38

Zinc-coated copper
mechanical behaviour of zinc-coated copper, 225

Zirconium
formability of a commercially pure zirconium sheet, 117

Zn–22 wt.% Al
grain refining of Zn–22 wt.% Al superplastic alloy, 73